

#### **EMSL Analytical - Industrial Hygiene**

200 Route 130 North, Cinnaminson, NJ 08077

Phone/Fax: (800) 220-3675 /

http://www.EMSL.com

IndustrialHygienelab@emsl.com

EMSL Order: CustomerID: 281802204 SREC85 CC-031615

CustomerPO: ProjectID:

Attn: Alex Green

S&R Environmental Consulting, Inc. 5801 Logan Street, #200 Denver, CO 80216

Phone:

(303) 297-1645

Fax: Received: (303) 297-1646 05/15/18 10:50 AM

Analysis Date:

5/16/2018

Collected:

5/14/2018

#### Test Report: PM10 Analysis of Particulate Matter Performed by EPA Reference Method 40 CFR, Chapter I, Part 50, App. J

Sample	Location	Volume (L)	Initial Weight (mg)	Final Weight (mg)	Sample Weight (mg)	Concentration (µg/m³)	Reporting Limit (μg/m³)	Notes
18-0613	3rd Floor	2568	54.212	56.474	2.3	900	0.78	
281802204-000	1							
18-0630	4th Floor	2432	59.842	60.258	0.42	170	0.82	
281802204-000	2							

Notes:

Discernable field blank not submitted with samples.

Results are not field blank corrected.

Analyst(s)
Thomas Cancglin (2)

SWWay W.

Scott Van Etten, CIH, Laboratory Manager or other approved signatory

The laboratory is not responsible for data reported in mg/m3, which is dependent on volume collected by non-laboratory personnel. This report relates only to the samples reported above. This report may not be reproduced, except in full, without written approval by EMSL. Samples received in good condition unless otherwise noted.

Samples analyzed by EMSL Analytical - Industrial Hygiene Cinnaminson, NJ

Initial report from 05/16/2018 14:57:25



contact@hayesmicrobial.com http://hayesmicrobial.com/

Analysis Report prepared for

# **S&R Environmental Consulting**

5801 Logan St. Suite 200

Denver, CO. 80216

Phone: (303) 297-1645

Job Number: 018013

Job Name: EPA/Boots

Date Sampled: 05-14-2018 Date Analyzed: 05-15-2018

Report Date: 05-15-2018

EPA Laboratory ID# VA01419







Mold License: LAB1021 Licen

License: #PH-0198

AIHA EMPAT Lab ID# 188863 Mol

Page 1 of 6



S&R Environmental Consulting 5801 Logan St. Suite 200 Denver, CO 80216

May 15, 2018

Client Job Number: 018013

Client Job Name: EPA/Boots

Dear S&R Environmental Consulting,

We would like to thank you for trusting Hayes Microbial for your analytical needs. On May 15, 2018 we received 3 samples by FedEx for the job referenced above. 3 samples were received in good condition. The results in this analysis pertain only to this job, collected on the stated date and should not be used in the interpretation of any other job. This report may not be duplicated, except in full, without the written consent of Hayes Microbial Consulting, LLC.

This laboratory bears no responsibility for sample collection activities, analytical method limitations, or your use of the test results. Interpretation and use of test results are your responsibility. Any reference to health effects or interpretation of mold levels is strictly the opinion of Hayes Microbial Consulting or any of its employees be liable for lost profits or any special, incidental or consequential damages arising out of your use of the test results.

Steve Hayes, BSMT(ASCP)

Stoplan N. Hay

Laboratory Director Hayes Microbial Consulting, LLC

Phone: (303) 297-1645

HMC #18014987

Job Number: Collected by: 018013 Tom Job Name: EPA/Boots Date Collected:
Date Received: 05/14/2018 05/15/2018

, cu vy.		•							7 !	Data Dapatad	06/46/2048
Email: tom@sre	nvironmenta	tom@srenvironmentalconsulting.com	m						Dat	Date Nepotieu.	00/10/2010
HMC ID Number		18014987 - 1			18014987 - 2			18014987 - 3			
Sample ID#		2263151			2263129			2263150			
Sample Name		3rd Floor			4th Floor		En	Entrance Main Lobby			
Sample Volume		75 liters			75 liters			76 liters			
Reporting Limit	13	13 Particles / m3		13	13 Particles / m3		13	13 Particles / m3			
Particle	Raw Count	Count / m3	% of Total	Raw Count	Count / m3	% of Total	Raw Count	Count / m3	% of Total		
Dander	240	3183	35.8%	60	792	50.4%	130	1711	73.1%		
Cellulose Fibers	6	80	< 1%	3	40	2.5%	2	26	1.1%		
Synthetic Fibers	1	13	< 1%					13	< 1%		
Fiberglass Fibers											
Wood Fibers		13	< 1%								
Animal Hair											
Plant Hair							v.				
Human Hair											
Dust Mites, Parts											
Carpet Beetle larvae parts							f				
Insect Parts											
Insect Frass (Feces)											
Feather Barbule											
Pollen											
Gypsum					i i						
Opaque Particles											
Talc	420	5570	62.6%	55	726	46.2%	35	461	19.7%		
Silicates	3	40	< 1%	_	13	< 1%	2	26	1.1%		
Mineral Salts											
Ash-like Soot							5	66	2.8%		
Char-like Soot								13	< 1%		
Aciniform-like Soot							2	26	1.1%		
Total	671	8899		119	1571		178	2342			

Signature:

P. Ramesh

05/15/2018

Date:

Reviewed by: Stephen N. Abycs

Date:

05/15/2018



S&R Environmental Consulting 5801 Logan St., Suite 200 Denver, CO 80216 Phone: (303) 297-1645

HMC #18014987

## Particle Analysis

Hayes Microbial Consulting Particle Analysis test is based on the initial screening procedures from ASTM #D6602. HMC only does light, polarized light, and phase contrast microscopy. No SEM or X-ray defraction is done. Below are some guidelines to help you figure out the totals for the dander, fibers, pollen, and other particle counts by light microscopy.

\*Estimated Normal Ranges are based on experience only. There are no standard ranges for this type of testing.

Particle         Estimated Normal Range           Enamer         Home (Carpeted Areas)         Air         Surface           Dander         Home (Hard Surface Areas)         1,000-16,000 / M3         5,000-16,000 / m3         5,000-16,000 / m3           Synthetic Fibers         Office or Classroom (Carpeted)         4,000-12,000 / M3         1,000-16,000 / m3         1,000-16,000 / m3           Synthetic Fibers         Office or Classroom (Hard Surface Areas)         3,000-10,000 / M3         0-1,600 / cm2           Synthetic Fibers         Incompact (Areas)         0,000-12,000 / M3         0-1,600 / cm2           Synthetic Fibers         0,000-12,000 / m3         0,000 / m3         0-1,600 / cm2           Elberglass Fibers         0,000 / m3         0,000 / cm2           System Fibers         0,000 / m3         0,000 / cm2           Insect Face         0,000 / m3         0,000 / cm2           Hant Hair         0,000 / m3         0,000 / cm2           Hant Hair         0,000 / m3         0,000 / cm2 <th>cm2 = per sq. centimeter</th> <th>M3 = per cubic meter</th> <th></th> <th></th>	cm2 = per sq. centimeter	M3 = per cubic meter		
E			Varies with outdoor pollen levels and whether there are live indoor plants.	Pollen
E	0-2,800 / cm2	0-500 / M3	(Varies greatly depending on area)	Silicates
le         *Estimated Normal         AIr	0-800 / cm2	0-100 / M3		Aciniform-like Soot
le         *Estimated Nomal           r         Air         Air           r         Home (Carpeted Areas)         1,000-6,000 / M3         1,000-6,000 / M3           d         Home (Hard Surface Areas)         500-5,000 / M3         500-5,000 / M3           D         Office or Classroom (Carpeted)         4,000-12,000 / M3         4,000-12,000 / M3           sse Fibers         Office or Classroom (Hard Surface Areas)         0,250 / M3         3,000-10,000 / M3           sitic Fibers         Interest of Classroom (Hard Surface Areas)         0,250 / M3         0,250 / M3           sitic Fibers         Interest of Classroom (Hard Surface Areas)         0,200 / M3         0,250 / M3           sitic Fibers         Interest of Classroom (Hard Surface Areas)         0,200 / M3         0,250 / M3           sitic Fibers         Interest of Classroom (Hard Surface Areas)         0,200 / M3         0,200 / M3           sitic Fibers         Interest of Classroom (Hard Surface Areas)         0,200 / M3         0	0-200 / cm2	0-60 / M3		Char-like Soot
le         *Estimated Normal           r         Alir	0-400 / cm2	0-60 / M3		Ash-like Soot
#Estimated Normal	0-200 / cm2	0-40 / M3		Starch
Testimated Normal   Testimated Normal   Testimated Normal   Air	0-600 / cm2	0-100 / M3		Opaque Particles
Testimated Normal   Testimated Normal   Testimated Normal   Alir   Ali	0-200 / cm2	0-40 / M3		Feather Barbules
*Estimated Normal  Air  Home (Carpeted Areas)  Home (Hard Surface Areas)  Coffice or Classroom (Carpeted)  Coffice or Classroom (Hard Surface Areas)  Cof	0-400 / cm2	0-40 / M3		Insect Frass
* Estimated Normal           Home (Carpeted Areas)         Air         Air </td <td>0-200 / cm2</td> <td>0-40 / M3</td> <td></td> <td>Carpet Beetle Larvae</td>	0-200 / cm2	0-40 / M3		Carpet Beetle Larvae
#Estimated Normal   Air   Air	0-200 / cm2	0-60 / M3		Human Hair
*Estimated Normal           Air         Air<	0-200 / cm2	0-60 / M3		Plant Hairs
icle         *Estimated Normal           der         Home (Carpeted Areas)         Air	0-200 / cm2	0-60 / M3		Wood Fibers
icle         * Estimated Normal           der         Home (Carpeted Areas)         4 (2000-6,000 / M3)         1,000-6,000 / M3         1,000-7,000	0-200 / cm2	0-30 / M3		Animal Hair
icle         *Estimated Normal           der         Home (Carpeted Areas)         Air         Air           Home (Hard Surface Areas)         1,000-6,000 / M3         500-5,000 / M3           Coffice or Classroom (Carpeted)         4,000-12,000 / M3         4,000-12,000 / M3           Jlose Fibers         Office or Classroom (Hard Surface Areas)         3,000-10,000 / M3         10-250 / M3           Inhetic Fibers         500-5,000 / M3         500-5,000 / M3         10-250 / M3         10-250 / M3           Inhetic Fibers         500-5,000 / M3         50-250 / M3	0-200 / cm2	0-30 / M3		Insect Parts
icle         * Estimated Normal           der         Home (Carpeted Areas)         4,000-6,000 / M3         500-5,000 / M3           Home (Hard Surface Areas)         Office or Classroom (Carpeted)         4,000-12,000 / M3         3,000-10,000 / M3           Ilose Fibers         Office or Classroom (Hard Surface Areas)         3,000-10,000 / M3         3,000-10,000 / M3           Intic Fibers         500-5,000 / M3         500-5,000 / M3         500-5,000 / M3         500-5,000 / M3           Intic Fibers         500-5,000 / M3	0-200 / cm2	0-30 / M3		Dust Mites (parts)
* Estimated Normal         Home (Carpeted Areas)       Air       1,000-6,000 / M3       1,000-6,000 / M3       1,000-5,000 / M3       1,000-5,000 / M3       1,000-10,000 / M3	0-2,000 / cm2	0-250 / M3		Talc
* Estimated Normal           Home (Carpeted Areas)         Air         1,000-6,000 / M3         1,000-5,000 / M3         1,000-12,000 / M3         500-5,000 / M3         3,000-12,000 / M3         3,000-12,000 / M3         3,000-10,000 / M3         3,000-10,00	0-1,800 / cm2	0-400 / M3		Gypsum Fibers
* Estimated Normal           Home (Carpeted Areas)         Air         1,000-6,000 / M3         3           Home (Hard Surface Areas)         500-5,000 / M3         4,000-12,000 / M3         3           Office or Classroom (Carpeted)         4,000-12,000 / M3         3,000-10,000 / M3           Office or Classroom (Hard Surface Areas)         3,000-10,000 / M3         0-250 / M3           0-250 / M3         0-250 / M3         0-250 / M3	0-400 / cm2	0-60 / M3		Fiberglass Fibers
* Estimated Normal           * Estimated Normal           Air         Air         1,000-6,000 / M3         1,000-6,000 / M3         1,000-6,000 / M3         1,000-5,000 / M3         1,000-12,000 / M3         1,000-12,000 / M3         1,000-12,000 / M3         1,000-10,000 / M3         1,000-10	0-1,600 / cm2	0-250 / M3		Synthetic Fibers
* Estimated Normal           Home (Carpeted Areas)         Air         1,000-6,000 / M3         3           Home (Hard Surface Areas)         500-5,000 / M3         4,000-12,000 / M3         4,000-12,000 / M3           Office or Classroom (Hard Surface Areas)         3,000-10,000 / M3         3,000-10,000 / M3         3,000-10,000 / M3	0-1,600 / cm2	0-250 / M3		Cellulose Fibers
* Estimated Normal           Home (Carpeted Areas)         Air         1,000-6,000 / M3           Home (Hard Surface Areas)         500-5,000 / M3           Office or Classroom (Carpeted)         4,000-12,000 / M3	12,000-20,000 / cm2	3,000-10,000 / M3	Office or Classroom (Hard Surface Areas)	
* Estimated Normal           Air         Air         1,000-6,000 / M3         3           Home (Hard Surface Areas)         500-5,000 / M3         500-5,000 / M3	14,000-24,000 / cm2	4,000-12,000 / M3	Office or Classroom (Carpeted)	
* Estimated Normal  Air  Home (Carpeted Areas)  * Air  1,000-6,000 / M3	5,000-16,000 / cm2	500-5,000 / M3	Home (Hard Surface Areas)	
* Estimated Normal Ra  Air	10,000-16,000 / cm2	1,000-6,000 / M3	Home (Carpeted Areas)	Dander
	Surface	Air		
	rmal Range	* Estimated Nor		Particle



S&R Environmental Consulting 5801 Logan St., Suite 200

Denver, CO 80216

Phone: (303) 297-1645

Particle Descriptions

HMC #18014987

## Aciniform-like Soot

Description: Also known as black carbon, aciniform soot comes from the combustion of oil based or hydrocarbon containing materials. This type of soot should not be confused with Carbon Black, which is a manufactured product that has been used in commerce for over a century and consists

of a fine black powder of nearly pure elemental carbon.

Sources: Sources are from the combustion of waste oil, fuel oil, gasoline fuel, diesel fuel, coal, coal-tar pitch, oil shale, rubber, plastics and resins

natural gas fireplaces and stoves, candles etc.

## Ash-like Soot

Description: Ash-like soot is formed from the combustion of wood products

Sources: Sources are wood fireplaces, house fires, forest fires, and burning of leaves and other yard debris

## Cellulose Fibers

Description: Cellulose fibers are natural fibers from plant material.

Sources: Sources of cellulose fibers are paper, cardboard, insulation material

## Char-like Soot

Description: Char-like soot comes from the incomplete combustion of wood products

Sources: Sources are wood fireplaces, house fires, forest fires, and burning of leaves and other yard debris

#### Dander

Description: Dander is dead skin cells. The average person sheds about 600,000 skin cells per day,

Sources: Sources are people and animals

#### Silicates

Description: Silicates comprise the majority of the Earth's crust. Sand, Portland cement, and thousands of minerals are examples of silicates.

Sources: Sources are sand and cement.

## Synthetic Fibers

Description: Synthetic fibers are man-made fibers such as nylon, polyester, and polyolefin.

Sources: Sources of synthetic fibers are carpet, upholstery and clothing

#### Talc

Description: Talc is a mineral composed of hydrated magnesium silicate

Sources: Sources of talc are powder, personal hygiene and cosmetics products, and in powdered laundry detergents and carpet cleaners.



S&R Environmental Consulting 5801 Logan St., Suite 200 Denver, CO 80216

Phone: (303) 297-1645

Particle Descriptions

HMC #18014987

**Wood Fibers** 

Description: Fibers from woody plants, trees, and lumber.

Sources: Wood and wood products.